



Interpump
Tubi Flessibili
TreeAthlon



 HYDRAULIC
COMPONENTS
& FLUID CONTAMINATION
CONTROL



All trademarks belong to their respective owners; third party trademarks, product names, trade names, corporate names and company names mentioned may be trademarks of their respective owners or registered trademarks of other companies and are used for instructional purposes and for the benefit of the owner, without any end of Copyright infringement in force.

Tutti i marchi riportati appartengono ai legittimi proprietari; marchi di terzi, nomi di prodotti, nomi commerciali, nomi corporativi e società citati possono essere di proprietà dei rispettivi titolari o registrati da altre società e sono stati utilizzati a puro scopo esplicativo e a beneficio del possessore, senza alcun fine di violazione dei diritti di Copyright vigenti.



INTERPUMP

FLUID SOLUTIONS 

Powered by I.M.M. Hydraulics



THE THREE BENEFITS

1. HIGH WORKING PRESSURE
2. COMPACT DESIGN
3. USER FRIENDLY



INTERPUMP



TREEATHLON





INTERPUMP

FLUID SOLUTIONS

Powered by I.M.M. Hydraulics

Designed with the vision of superior performance, reliability and user-friendliness. The TreeAthlon line of hydraulic hose best expresses our vision as designers and manufacturers.

The **COMPACT DESIGN** saves on both space and weight, with the outside diameter being 7% smaller than other products on the market and 10% smaller than standard 4SP. All in accordance with EN 853 2SN standards. This makes the Treeathlon line of hose a must-have for mobile and lift applications.

The high **WORKING PRESSURE** exceeds that of standard 4SP, qualifying the hose for use in a wide range of Hydraulic applications without high or rapid pressure peaks (such as the mobile and lift sectors) especially those where the pressure-to-weight ratio is fundamental.

The **NO-SKIVE CRIMPING** solution is Impulse tested to 120% of the Working Pressure, promoting reliability and ease of use.

The **NBR INNER LAYER** of Treeathlon permits wide compatibility with hydraulic fluids. Combined with the outer cover's high abrasion and ozone resistance, Treeathlon can reliably work in tough conditions.



INTERPUMP



TREEATHLON



Part number												
	in	mm	mm	bar	psi	bar	psi	mm	inch	kg/m	lb/ft	
THE0T3K-06	3/8"	9.5	18.8	500	7250	2000	29000	110	4.331	0.584	0.392	0022-06
THE0T3K-08	1/2"	12.7	22.4	475	6888	1900	27550	140	5.512	0.833	0.560	0022-08
THE0T3K-10	5/8"	16.0	25.8	420	6090	1680	24360	200	7.874	0.967	0.650	0022-10
THE0T3K-12	3/4"	19.0	29.6	380	5510	1520	22040	240	9.449	1.189	0.799	0022-12
THE0T3K-16	1 "	25.4	38.0	315	4568	1260	18270	300	11.811	1.737	1.167	0022-16



The **H32 MOBILE CRIMPER** is the ideal match for swaging 0022-series ferrules on TreeAthlon hoses. This crimper is a hydraulic, 12/24V machine designed to be installed on vans or mobile workshops. Its compact size allows it to fit in small spaces, and its reliability ensures accurate crimping and performance.

www.interpumpfluidsolutions.com

LubeTeam Hydraulic S.r.l.

Administration and Headquarter:

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

Office and Warehouse:

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l' art. 171 della L. 633 del 22 Aprile 1941.