





All trademarks belong to their respective owners; third party trademarks, product names, trade names, corporate names and company names mentioned may be trademarks of their respective owners or registered trademarks of other companies and are used for instructional purposes and for the benefit of the owner, without any end of Copyright infringement in force.

Tutti i marchi riportati appartengono ai legittimi proprietari; marchi di terzi, nomi di prodotti, nomi commerciali, nomi corporativi e società citati possono essere di proprietà dei rispettivi titolari o registrati da altre società e sono stati utilizzati a puro scopo esplicativo e a beneficio del possessore, senza alcun fine di violazione dei diritti di Copyright vigenti.








Clamp Body • Profiled Design

Profiled Inside Surface with Tension Clearance





Ordering Codes

*4*012.7/12.7-*PP **Clamp Body**

One clamp body is consisting of two clamp halves.

- * 1st part of STAUFF Group
- * Exact outside diameters Ø D1 / Ø D2 (mm) 012.7/12.7
- * Material code (see below)

Standard Materials



Polypropylene Colour: Green Material code: PP



Polyamide Colour: Black Material code: PA


See pages 154 / 155 for material properties and technical information.

Group	Outside Diameter Pipe / Tube Ø D1 / Ø D2		Nominal Bore Copper Tube Pipe ASTM B88		Ordering Codes (2 Clamp Halves)	Dimen	Dimensions (****/in)				
STAUFF	(mm)	(in)	(in)	(in)	(** = Material)	L1	L2	L3	H1	S	Width
	12,7	1/2		3/8	4012.7/12.7-**						
20	19	3/4			4019/19-**	115 90 4.53 3.54	45	40	1.0	30	
	20				4020/20-**						
	21,3		1/2		4021.3/21.3-**		3.54	45 1 1.77	1.89	.05	1.18
	22			3/4	4022/22-**	4.55	3.34	1.77	1.09	.00	1.10
	25,4	1			4025.4/25.4-**						
	26,9		3/4		4026.9/26.9-**						
	32	1-1/4			5032/32-**						
5S-D	33,7		1		5033.7/33.7-**	145	120	60	60	2,0	30
ח-פנ	38	1-1/2			5038/38-**	5.71	4.72	2.36	2.36	.08	1.18
	42		1-1/4		5042/42-**						

Additional outside diameters and Clamp Bodies, type H (smooth inside surface without tension clearance) are available upon request. Please contact STAUFF for further information.

Clamp Body with Elastomer Inserts Type RI





For use with Elastomer Inserts of the Heavy Series, STAUFF Group 4S and 5S (see page 39 for details)

(mm/in)

Ø D

25

.98

38

1.50

L1

115

4.53

145

5.71

12

90

3.54

120

4.72

13

45

60

2.36

1.77

Н1

48

60

2.36

1.89

Width

30

30

1.18

1.18

Ordering Codes

(Clamp Assembly)

(**R = Material)

4006/06-**-R

4008/08-**-R

4010/10-**-R

4012/12-**-R

4014/14-******-R

4015/15-******-R

4016/16-**-R

4018/18-**-R

4019/19-**-R

5020/20-**-R

5022/22-**-R

5025/25-**-R

5028/28-**-R

5030/30-**-R

4012.7/12.7-******-R

4017.2/17.2-**-R

5021.3/21.3-**-R

5026.9/26.9-**-R

Ordering Codes

Clamp Assembly

*4*006/06-*PP-R

One assembly is consisting of one clamp body and two inserts.

- * 1st part of STAUFF Group
- * Exact outside diameters Ø D1 / Ø D2 (mm) 006/06
- * Material code (see below)

PP-R

Group

STAUFF

4S-D

5S-D

Outside Diameter

Pipe / Tube / Hose

(in)

5/16

1/2

5/8

3/4

7/8

1-1/4

Ø D1 / Ø D2

(mm)

8

10

12

14

15

16 17,2

18

19

20

22

25

28

30

32

26.9

21,3

12,7

Standard Materials



Polypropylene Colour: Black Material code: PP-R






Flastomer Inserts

Thermoplastic Elastomer (73 Shore-A) Colour: Black

5032/32-**-R See pages 154 / 155 for properties and technical information. Additional outside diameters are available upon request. Please contact STAUFF for further information.






Weld Plate Type SPAD



Group	Dimensio	ons (^{mm} /in)	Ordering Codes					
STAUFF	L1	L2	В	S	Н	Thread G	ØD	(Standard Options)
4S-D	130	90	30	8	8,5	M10	18	SPAD-4S-M-W1
	5.12	3.54	1.18	.31	.33	3/8-16 UNC	.71	SPAD-4S-U-W2*
5S-D	160	120	30	8	8,5	M10	18	SPAD-5S-M-W1
	6.30	4.72	1.18	.31	.33	3/8-16 UNC	.71	SPAD-5S-U-W2*

All threaded parts are available with Metric ISO thread or unified Coarse (UNC) thread according to dimension table. $Alternative\ materials\ and\ surface\ finishings\ are\ available\ upon\ request.\ Contact\ STAUFF\ for\ further\ information.$

Ordering Codes *SPAD-*4S-*M-*W1 **Weld Plate** * Weld Plate SPAD * STAUFF Group **4S** 4S-D 5S-D **5S** * Thread code Metric ISO thread M U Unified coarse (UNC) thread * Material code Carbon Steel, uncoated W1 Carbon Steel, phosphated W2 Carbon Steel, zinc/nickel-plated W3 Stainless Steel V2A W4 1.4301 / 1.4305 (AISI 304 / 303) Stainless Steel V4A 1.4401 / 1.4571 (AISI 316 / 316 Ti)



	-	L2		
-	øD			ı
		ш		#
				st
-		L1	-	
(→		Φ	В

Group STAUFF	Dimensions (^m	Ordering Codes (Standard Options)					
48	115	L2 90	30	8	ØD	. ,	
	4.53	3.54	1.18	.31	.43	DPAD-4S-W1*	
5S	145	120	30	8	11	DPAD-5S-W1*	
	5.71	4.72	1.18	.31	.43	DPAD-99-W I	

All threaded parts are available with Metric ISO thread or unified Coarse (UNC) thread according to dimension table. Alternative materials and surface finishings are available upon request. Contact STAUFF for further information.

Cover Plate Type DPAD



Ordering Codes							
Cover Plate	*DPAD-*4S-*	VV I					
* Cover Plate	C	PAD					
* STAUFF Group	4S-D	4S					
	5S-D	5S					
* Material code	Carbon Steel, uncoated	W1					
	Carbon Steel, phosphated	W2					
	Carbon Steel, zinc/nickel-plated	W3					
	Stainless Steel V2A	W4					
	1.4301 / 1.4305 (AISI 304 / 303)	W4					
	Stainless Steel V4A	W5					
	1.4401 / 1.4571 (AISI 316 / 316 Ti)	0					

^{*} Standard finishing option in North America is W2 (Carbon Steel, phosphated).

^{*} Standard finishing option in North America is W3 (Carbon Steel, phosphated).




AS-M10x70-W1

AS-3/8-16UNCx2-3/4-W3*

Hexagon Head Bolt Type AS





Hexagon Head Bolt AS

(according to DIN 931 / 933 or ANSI / ASME B18.2.1.) Dimensions applicable only when used with Cover Plate DPAD

	Group		Dimensions (mm/in)	Ordering Codes
Ordering Codes	STAUFF	DIN	Thread G x L	(Standard Options)
	40	0	M10 x 60	AS-M10x60-W1
Hexagon Head Bolt *AS-*M10x70-*W1	48	2	3/8–16 UNC x 2-1/4	AS-3/8-16UNCx2-1/4-W3*

3/8-16 UNC x 2-3/4

M10 x 70

5S

3

All threaded parts are available with Metric ISO thread orunified coarse (UNC) thread according to dimension table. $Alternative\ materials\ and\ surface\ finishings\ are\ available\ upon\ request.\ Contact\ STAUFF\ for\ further\ information.$

If required, use Safety Washers, type SI as locking devices to prevent Hexagon Head Bolts, type AS from loosening. See page 46 for details.

* Standard finishing option in North America is W3 (Carbon Steel, zinc/nickel-plated).

* Type of bolt Hexagon Head Bolt (according to DIN 931 / 933 AS or ANSI / ASME B18.2.1.)

* Thread type and size acc. to dimension table M10x70

* Material code Carbon Steel, uncoated W1 Carbon Steel, zinc/nickel-plated W3

Stainless Steel V2A W4 1.4301 / 1.4305 (AISI 304 / 303) Stainless Steel V4A

1.4401 / 1.4571 (AISI 316 / 316 Ti)

Further Metal Hardware

For Use with the Heavy Twin Series



Mounting Rail Nut Type GMV

Heavy Series, STAUFF Group 4S and 5S (See page 42 for details)



Mounting Rail Type STSV

Heavy Series (See page 42 for details)



Channel Rail Adaptor Type CRA

Heavy Series, STAUFF Group 4S and 5S (See page 43 for details)



Socket Cap Screw Type IS

Heavy Series, STAUFF Group 4S and 5S (See page 45 for details)



Safety Locking Plate Type SIPD

Heavy Twin Series, STAUFF Group 4S-D and 5S-D (Contact STAUFF for details)



Stacking Bolt Type AF

Heavy Series, STAUFF Group 4S and 5S (See page 47 for details)







1 Type of Installation

Please select the type of installation (e.g. Weld Plates, Rail Nuts etc.) and add the corresponding Code to position ① of the order code for your clamp assembly.



Without Installation Equipment

Code: none

Installation on Weld Plate



Single Weld Plate Code: SPAD

Installation on Mounting / Channel Rail



Mounting Rail Nut Code: GMV



Channel Rail Adaptor Code: CRA

2 Group Size & Diameters

Please select the required group size and diameter and add the corresponding Code to position 2 of the crder code for your clamp assembly.

Group	Outside Diameter P/T/H	Availability Body Materia Profiled		
STAUFF	(mm)	Design	Type RI	Code
	6	0	•	4006/06
	8	0	•	4008/08
	10	0	•	4010/10
	12	0	•	4012/12
	12,7	•	•	4012.7/12.7
	14	0	•	4014/14
	15	0	•	4015/15
4S-D	16	0	•	4016/16
45-D	17,2	0	•	4017.2/17.2
	18	0	•	4018/18
	19	•	•	4019/19
	20	•	0	4020/20
	21,3	•	0	4021.3/21.3
	22	•	0	4022/22
	25,4	•	0	4025.4/25.4
	26,9	•	0	4026.9/26.9
	20	0	•	5020/20
	21,3	0	•	5021.3/21.3
	22	0	•	5022/22
	25	0	•	5025/25
	26,9	0	•	5026.9/26.9
5S-D	28	0	•	5028/28
	30	0	•	5030/30
	32	•	•	5032/32
	33,7	•	0	5033.7/33.7
	38	•	0	5038/38
	42	•	0	5042/42

Standard Option

3 Clamp Body Design & Material

Please select the design and material of your clamp body and add the corresponding Code to position 3 of the order code for your clamp assembly.

Please check the availability of the selected clamp body design and material according to the matrix table in 2.

Profiled Design





Type RI (with Elastomer Insert)





Clamp Bodies, Type H (smooth Inside surface without tension clearance) are available upon request. Please contact STAUFF for further information.

4 Mounting & Fitting Combination

Please select the mounting and fitting combination (e.g. Bolts, Cover Plates etc.) and add the corresponding Code to position ④ of the order code for your clamp assembly.

Installation with Cover Plate and Bolts

Cover Plate DPAD with Hexagon Head Bolt AS Code: DPAD-AS

Installation with Locking Plate and Bolts

Safety Locking Plate SIPD with Stacking Bolt AF Code: SIPD-AF

5 Thread Type

Please select the required thread type and add the corresponding Code to position 5 of the order code for your clamp assembly.

Metric ISO thread Code: M

Unified coarse (UNC) thread Code: U

All threaded parts are available with Metric ISO thread or unified coarse (UNC) thread according to dimension table.

6 Material & Surface Finishing

Please select the required material & surface finishing of the metal parts and add the corresponding Code to position 6 of the order code for your clamp assembly.

Metal parts made of Carbon Steel, uncoated W1 Metal parts made of Carbon Steel, phosphated W2

Metal parts made of Carbon Steel, zinc/nickel-plated W3

Metal parts made of Stainless Steel V2A 1.4301 / 1.4305 (AISI 304 / 303)

Metal parts made of Stainless Steel V4A W5 1.4401 / 1.4571 (AISI 316 / 316 Ti)

Weld Plate made of Carbon Steel, phosphated; Other metal parts made of Carbon Steel, zinc/nickel-plated

Weld Plate and Cover Plate made of Carbon Steel, W12 phosphated; Bolts made of Carbon Steel, uncoated

Mounting Rail Nuts made of Carbon Steel, zinc/nickel-plated; Cover Plate made of Carbon Steel, phosphated: W13 Bolts made of Carbon Steel, uncoated

Weld Plate / Cover Plate made of Carbon Steel, phosphated; Bolts made of Carbon Steel, zinc/nickel-plated

Mounting Rail Nuts made of Carbon Steel, zinc/nickel-plated: Cover Plate made of Carbon Steel, phosphated; W16 Bolts made of Carbon Steel, zinc/nickel-plated

Safety Locking Plate made of Carbon Steel, phosphated; W17 Bolts made of Carbon Steel, zinc/nickel-plated

Safety Locking Plate made of Carbon Steel, uncoated; Bolts made of Carbon Steel, phosphated

Cover Plate made of Carbon Steel, phosphated; Bolts made of Carbon Steel, uncoated

Individual combinations of alternative materials and surface finishings are available upon request. Contact STAUFF for further information

7 Assembling & Kitting

If required, please select an additional assembling and kitting option and add the corresponding Code to the last position of the order code for your clamp assembly.

Components Supplied Separately Code: none (Standard Option)

Components Assembled Code: A (Special Option)

Components Packed in Kits Code: K (Special Option)



W18

W19

LubeTeam Hydraulic S.r.l.

Administration and Headquarter: Via Tufara Scautieri, 6 83018 - San Martino Valle Caudina (AV) Office and Warehouse: S.S. 7 Appia, Km. 237,00 82011 - Airola BN ITALY

Tel. +39 0823 950 994 Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us









This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l' art. 171 della L. 633 del 22 Aprile 1941.