




UFI FILTERS

CBA



HYDRAULIC
COMPONENTS
& FLUID CONTAMINATION
CONTROL



CBA
AIR FILTERS

DESCRIPTION

Air breather, hand mounting

MATERIALS

Housing, flange and basket: Zinc plated steel
Cap: Chrome plated

Filter element (not replaceable, filtration degree in air):
Impregnated cellulose 3µm
Polyurethane foam 10µm

FLOW RATE

Qmax 750 l/min

COMPATIBILY


Full with fluids HH-HL-HM-HV-HTG (according to ISO 6743/4).
For fluids different than the above mentioned, please contact
our Customer Service.

WORKING TEMPERATURE:

From -25°C to 110°C



HYDRAULIC DIAGRAM




Is this datasheet the latest release? Please check on our website

ORDERING AND OPTION CHART

C	B	A	COMPLETE FILTER FAMILY	
			SIZE & LENGHT	11 21
		B	PORT TYPE	
		B = BSP thread		B B
			PORT SIZE	
		02 = 1/4"	02	-
		06 = 3/4"	-	06
			FILTER MEDIA	
		CC = impregnated cellulose 3 µm	CC	CC
		PE = polyurethane foam 10 µm	PE	PE

INSTALLATION DRAWING



DIMENSIONS



	filtr. µm (in air)	flow rate (l/min)	D1	D2		H1	H2	H3
CBA11B02CC	3	150	47	1/4" BSP	19	45	12	7
CBA11B02PE	10	250	47	1/4" BSP	19	45	12	7
CBA21B06CC	3	450	76	3/4" BSP	35	66	16	7
CBA21B06PE	10	750	76	3/4" BSP	35	66	16	7

LubeTeam Hydraulic S.r.l.

Administration and Headquarter:

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

Office and Warehouse:

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l'art. 171 della L. 633 del 22 Aprile 1941.