




UFI FILTERS
CBF



HYDRAULIC
COMPONENTS
& FLUID CONTAMINATION
CONTROL



CBF AIR FILTERS



DESCRIPTION

Air breather, clamp mounting

MATERIALS

Housing: Black painted steel

Clamp: Stainless steel

Spare filter element: Filtration degree in air

VD - Velvet mesh 10 μm

FD - Fibreglass 2,5 μm (on request only)

CD - Impregnated cellulose 10 μm (on request only)

FLOW RATE

Qmax 4000 l/min

COMPATIBILY


Full with fluids HH-HL-HM-HV-HTG (according to ISO 6743/4).

For fluids different than the above mentioned, please contact our Customer Service.

WORKING TEMPERATURE

From -25°C to 110°C

HYDRAULIC DIAGRAM



Is this datasheet the latest release? Please check on our website






ORDERING AND OPTION CHART

C	B	F	COMPLETE FILTER FAMILY			FILTER ELEMENT FAMILY	E	B	F
			SIZE & LENGHT	11	21	SIZE & LENGTH			
		C	PORT TYPE						
			C = clamp	C	C				
			PORT SIZE						
			40 = hole ø 40 mm	40	-				
			52 = hole ø 52 mm	52	-				
			70 = hole ø 70 mm	-	70				
			76 = hole ø 76 mm	-	76				
			FILTER MEDIA			FILTER MEDIA			
			VD = velvet mesh 10 µm	VD	VD				
			FD* = fibreglass 2,5 µm	FD	FD				
			CD* = impregnated cellulose 10 µm	CD	CD				

* on request only

INSTALLATION DRAWING



DIMENSIONS

	flow rate (l/min)	D1	D2	H1	H2	Kg
CBF11C40VD	1.000	122	40	120	92	0,60
CBF11C52VD	1.500	122	52	120	92	0,60
CBF21C70VD	3.000	220	70	145	125	1,60
CBF21C76VD	4.000	220	76	145	125	1,60

LubeTeam Hydraulic S.r.l.

Administration and Headquarter:

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

Office and Warehouse:

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l'art. 171 della L. 633 del 22 Aprile 1941.