


UFI FILTERS  
CBS



 HYDRAULIC  
COMPONENTS  
& FLUID CONTAMINATION  
CONTROL



# CBS AIR FILTERS



## DESCRIPTION

Air breather with spin-on element

## MATERIALS

Connector: Steel (zinc plated for the flanged version)

Spin-on can: Steel

Spare filter element:

CC = Impregnated Cellulose

FD = Fibreglass

Filtration degree in air 3  $\mu\text{m}$

## FLOW RATE

Qmax 2800 l/min

## COMPATIBILITY


Full with fluids HH - HL - HM - HR - HV - HG (according to ISO 6743/4). For fluids different than the above mentioned, please contact our Customer Service.

## WORKING TEMPERATURE

From -25°C to 110°C



## HYDRAULIC DIAGRAM




Is this datasheet the latest release? Please check on our website

### ORDERING AND OPTION CHART

C	B	S	COMPLETE FILTER FAMILY	11	12	21	22	FILTER ELEMENT FAMILY	A	S	E
			SIZE & LENGHT					SIZE & LENGTH			
			CONNECTION TYPE								
			S = standard flange	S	S	S	S				
			W = welding connector	W	W	W	W				
		W	PRESSURIZATION VALVE								
			W = without	W	W	W	W				
			SEALS					SEALS		X	
			X = no seals (welding type)	X	X	X	X				
			C = sugheroil (flange type)	C	C	C	C				
			FILTER MEDIA					FILTER MEDIA			
			FD = fibreglass	FD	FD	FD	FD				
			CC = impregnated cellulose	CC	CC	CC	CC				

### INSTALLATION DRAWING



### DIMENSIONS

	Dwg	flow rate (l/min)	A	B	B1	C	D1	D2	R
CBS11WWX	A	1.800	96	146	201	3/4" BSP	18	32	40
CBS12WWX	A	1.800	96	191	246	3/4" BSP	18	32	40
CBS21WWX	A	2.800	129	181	236	1 1/4" BSP	32	48	40
CBS22WWX	A	2.800	129	226	281	1 1/4" BSP	32	48	40
CBS11SWC	B1	1.800	96	146	204	3/4" BSP	18	-	40
CBS12SWC	B1	1.800	96	191	249	3/4" BSP	18	-	40
CBS21SWC	B2	2.800	129	181	239	1 1/4" BSP	32	-	40
CBS22SWC	B2	2.800	129	226	284	1 1/4" BSP	32	-	40

## LubeTeam Hydraulic S.r.l.

*Administration and Headquarter:*

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

*Office and Warehouse:*

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

[www.lubeteam.it](http://www.lubeteam.it) [info@lubeteam.it](mailto:info@lubeteam.it)

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l'art. 171 della L. 633 del 22 Aprile 1941.