




UFI FILTERS
CSE



HYDRAULIC
COMPONENTS
& FLUID CONTAMINATION
CONTROL



CSE
AIR FILTERS



DESCRIPTION

Air breather with spin-on element

MATERIALS

Connector: Zinc plated steel
Basket: Zinc plated steel
Spin-on can: Steel
Spare filter element:
CC = Impregnated Cellulose
FD = Fibreglass
Filtration degree in air 3 µm

FLOW RATE

Qmax 2800 l/min

COMPATIBLY


Full with fluids HH - HL - HM - HR - HV - HG (according to ISO 6743/4). For fluids different than the above mentioned, please contact our Customer Service.

WORKING TEMPERATURE

From -25°C to 110°C



HYDRAULIC DIAGRAM




Is this datasheet the latest release? Please check on our website.

ORDERING AND OPTION CHART

C	S	E	COMPLETE FILTER FAMILY					FILTER ELEMENT FAMILY	A	S	E
			SIZE & LENGHT	11	12	21	22	SIZE & LENGTH			
			CONNECTION TYPE								
			S = standard flange	S	S	S	S				
		W	PRESSURIZATION VALVE								
			W = without	W	W	W	W				
			SEALS					SEALS	X		
			C = sugheroil (flange type)	C	C	C	C				
			FILTER MEDIA					FILTER MEDIA			
			FD = fibreglass	FD	FD	FD	FD				
			CC = impregnated cellulose	CC	CC	CC	CC				

INSTALLATION DRAWING



DIMENSIONS

	flow rate (l/min)	A	B	C
CSE11SWC	1.800	96	146	3/4" BSP
CSE12SWC	1.800	96	191	3/4" BSP
CSE21SWC	2.800	129	181	1 1/4" BSP
CSE22SWC	2.800	129	226	1 1/4" BSP

LubeTeam Hydraulic S.r.l.

Administration and Headquarter:

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

Office and Warehouse:

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l' art. 171 della L. 633 del 22 Aprile 1941.