




UFI FILTERS
CLA



HYDRAULIC
COMPONENTS
& FLUID CONTAMINATION
CONTROL



DESCRIPTION

Visual level indicator

MATERIALS

Transparent part: Trogamid T
 Anti-shock protection: Painted steel
 Fixing bolts: Zinc plated steel
 Seals: NBR Nitrile (FKM Fluoroelastomer on request)

Double scale thermometer (Celsius and Fahrenheit)
 option available.
 Tightening torque for the fixing bolts 10 Nm.

PRESSURE

Max pressure 100 kPa (1 bar)


WORKING TEMPERATURE

From -20°C to +90°C

COMPATIBILITY

Full with fluids HH-HL-HM-HV-HTG (according to ISO 6743/4).
 For fluids different than the above mentioned, please contact
 our Customer Service.

HYDRAULIC DIAGRAM



Is this datasheet the latest release? Please check on our website.




ORDERING AND OPTION CHART

C	L	A	COMPLETE FILTER FAMILY		
			SIZE & LENGTH		
			11	12	13
		M	CONNECTION TYPE		
		M = metric thread	M	M	M
			CONNECTION SIZE		
		10 = M10	10	10	10
		12 = M12	12	12	12
		N	SEALS		
		N = NBR Nitrile	N	N	N
		F = FKM Fluoroelastomer	F	F	F
			ACCESSORIES		
		W = without	W	W	W
		T = with thermometer	T	T	T

DIMENSIONS

	H1	H2	H3	D
CLA11M10NW	108	76	32	M10
CLA11M10NT	108	76	32	M10
CLA12M12NW	160	127	78	M12
CLA12M12NT	160	127	78	M12
CLA13M12NW	286	254	202	M12
CLA13M12NT	286	254	202	M12



LubeTeam Hydraulic S.r.l.

Administration and Headquarter:

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

Office and Warehouse:

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l'art. 171 della L. 633 del 22 Aprile 1941.