





Boccola per tubi
Stauff SRF



 HYDRAULIC
COMPONENTS
& FLUID CONTAMINATION
CONTROL



Pipe / Tube Bushing ■ Type SRF



Outside Diameter ØD1		Nominal Bore	Dimensions			Wall Thickness	Mounting Bore
(mm)	(in)		(mm/in)	H1	H2	(mm/in)	(mm/in)
ØD2						S	ØD3
6	1/4		18 .71	22 .87	4 .16	4 ... 12 .1647	10 .39
8	5/16		20 .79	22 .87	4 .16	4 ... 12 .1647	12 .47
10	3/8	1/8 Pipe 1/4 Copper Tube (ASTM B88)	22 .87	22 .87	4 .16	4 ... 12 .1647	14 .55
12	1/2	3/8 Copper Tube (ASTM B88)	24 .94	22 .87	4 .16	4 ... 12 .1647	16 .63
14		1/4 Pipe	26 1.02	22 .87	4 .16	4 ... 12 .1647	18 .71
15			28 1.10	22 .87	4 .16	4 ... 12 .1647	20 .79
16	5/8	1/2 Copper Tube (ASTM B88)	28 1.10	22 .87	4 .16	4 ... 12 .1647	20 .79
18			30 1.18	22 .87	4 .16	4 ... 12 .1647	22 .87
20	3/4		32 1.26	22 .87	4 .16	4 ... 12 .1647	24 .94
22	7/8	3/4 Copper Tube (ASTM B88)	34 1.34	22 .87	4 .16	4 ... 12 .1647	26 1.02
25	1		38 1.50	22 .87	4 .16	4 ... 12 .1647	30 1.18
28		1 Copper Tube (ASTM B88)	41 1.61	22 .87	4 .16	4 ... 12 .1647	33 1.30
30			43 1.69	22 .87	4 .16	4 ... 12 .1647	34 1.39
35		1-1/4 Copper Tube (ASTM B88)	48 1.89	22 .87	4 .16	4 ... 12 .1647	40 1.57
38	1-1/2		51 2.01	22 .87	4 .16	4 ... 12 .1647	43 1.70
42		1-1/4 Pipe 1-1/2 Copper Tube (ASTM B88)	55 2.17	22 .87	4 .16	4 ... 12 .1647	47 1.85

Ordering Codes

Pipe / Tube Bushing

***SRF-*20-*PP**

* Pipe / Tube Bushing	SRF
* Exact outside diameter Ø D1 (mm)	20
* Material code (see below)	PP

Standard Materials



Polypropylene
Colour: Natural colour
Material code: **PP**



Thermoplastic Elastomer (87 Shore-A)
Colour: Black
Material code: **SA**

See pages 154 / 155 for material properties and technical information.

Product Features

- Designed to centre the pipe or tube in a through-hole (e.g. for return lines entering the hydraulic reservoir)
- Vibration and noise absorbing element
- Available for all commonly used Metric and imperial pipe and tube diameters from 6 ... 42 mm and 1/4 ... 1-1/2 in
- Easy plug-in installation



LubeTeam Hydraulic S.r.l.

Administration and Headquarter:

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

Office and Warehouse:

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l'art. 171 della L. 633 del 22 Aprile 1941.