



Corpo Collare Stauff con Inserto in
Elastomero (Tipo RI - Serie Pesante)





 HYDRAULIC
COMPONENTS
& FLUID CONTAMINATION
CONTROL



All trademarks belong to their respective owners; third party trademarks, product names, trade names, corporate names and company names mentioned may be trademarks of their respective owners or registered trademarks of other companies and are used for instructional purposes and for the benefit of the owner, without any end of Copyright infringement in force.

Tutti i marchi riportati appartengono ai legittimi proprietari; marchi di terzi, nomi di prodotti, nomi commerciali, nomi corporativi e società citati possono essere di proprietà dei rispettivi titolari o registrati da altre società e sono stati utilizzati a puro scopo esplicativo e a beneficio del possessore, senza alcun fine di violazione dei diritti di Copyright vigenti.

Clamp Body with Elastomer Insert Type RI


B

Group	DIN	Outside Diameter Pipe / Tube / Hose Ø D		Ordering Codes Clamp Assembly (Clamp Body + Insert)	Clamp Body Material (2 Clamp Halves)	Elastomer Insert *	Dimensions (mm/in)				
		(mm)	(in)				Ø D1	L1	L2	H	Width
4S	2	6		4006-**-R	4S-**-R	RI-06-4/4S					
		8	5/16	4008-**-R		RI-08-4/4S					
		10		4010-**-R		RI-10-4/4S					
		12		4012-**-R		RI-12-4/4S					
		12,7	1/2	4012.7-**-R		RI-12.7-4/4S					
		14		4014-**-R		RI-14-4/4S	25	70	45	46,5	30,5
		15		4015-**-R		RI-15-4/4S	.98	2.76	1.77	4.83	1.20
		16	5/8	4016-**-R		RI-16-4/4S					
		17,2		4017.2-**-R		RI-17.2-4/4S					
		18		4018-**-R		RI-18-4/4S					
5S	3	19	3/4	4019-**-R	5S-**-R	RI-19-4/4S					
		20		5020-**-R		RI-20-6/5S					
		21,3		5021.3-**-R		RI-21.3-6/5S					
		22	7/8	5022-**-R		RI-22-6/5S					
		25		5025-**-R		RI-25-6/5S	38	85	60	58	30,5
		26,9		5026.9-**-R		RI-26.9-6/5S	1.50	3.35	2.36	2.28	1.20
		28		5028-**-R		RI-28-6/5S					
		30		5030-**-R		RI-30-6/5S					
		32	1-1/4	5032-**-R		RI-32-6/5S					
		32	1-1/4	6032-**-R	6S-**-R	RI-32-6S					
6S	4	33,7		6033.7-**-R		RI-33.7-6S					
		35		6035-**-R		RI-35-6S					
		38,7		6038.7-**-R		RI-38.7-6S					
		40		6040-**-R		RI-40-6S	64	115	90	87	45
		42		6042-**-R		RI-42-6S	2.52	4.53	3.54	3.43	1.77
		45,5		6045.5-**-R		RI-45.5-6S					
		48		6048-**-R		RI-48-6S					
		51	2	6051-**-R		RI-51-6S					
		53,4		6053.4-**-R		RI-53.4-6S					
		56,4		6056.4-**-R		RI-56.4-6S					
7S	5	55		7055-**-R	7S-**-R	RI-55-7S					
		57	2-1/4	7057-**-R		RI-57-7S					
		60		7060-**-R		RI-60-7S					
		63,5	2-1/2	7063.5-**-R		RI-63.5-7S	88	154	122	120	60
		65		7065-**-R		RI-65-7S	3.56	6.06	4.80	4.72	2.36
		70	2-3/4	7070-**-R		RI-70-7S					
		72		7072-**-R		RI-72-7S					
		76	3	7076-**-R		RI-76-7S					
8S	6	80		8080-**-R	8S-**-R	RI-80-8S	114	208	168	168	80
		88,9	3-1/2	8088.9-**-R		RI-88.9-8S	4.49	8.11	6.61	6.61	3.15
		102		8102-**-R		RI-102-8S					
9S	7	114		9114-**-R	9S-**-R	RI-114-9S	150	251	205	200	91
		133	5-1/4	9133-**-R		RI-133-9S	5.91	9.88	8.07	7.87	3.58
		140		9140-**-R		RI-140-9S					
10S	8	150		10150-**-R	10S-**-R	RI-150-10S					
		165		10165-**-R		RI-165-10S	200	336	265	270	120
		168		10168-**-R		RI-168-10S	7.87	13.22	10.43	10.63	4.72
		172		10172-**-R		RI-172-10S					

* Elastomer Inserts for Heavy Series clamp bodies, STAUFF Group 4S also fit into Standard Series clamp bodies, STAUFF Group 4.
Elastomer Inserts for Heavy Series clamp bodies, STAUFF Group 5S also fit into Standard Series clamp bodies, STAUFF Group 6.

Additional outside diameters are available upon request. Please contact STAUFF for further information.

Ordering Codes

Clamp Assembly ***4*006-*PP-R**

One assembly is consisting of one clamp body and one insert.

- * 1st part of STAUFF Group **4**
- * Exact outside diameter Ø D (mm) **006**
- * Material code (see below) **PP-R**

Clamp Body ***4S-*PP-R**

One clamp body is consisting of two clamp halves.

- * STAUFF Group **4S**
- * Material code (see below) **PP-R**

Elastomer Insert ***RI-*06-*4/4S**

- * Elastomer Insert **RI**
- * Exact outside diameter Ø D (mm) **06**
- * STAUFF Group 4S (Heavy) and 4 (Standard) **4/4S**
- 5S (Heavy) and 6 (Standard) **6/5S**
- 6S (Heavy) **6S**
- 7S (Heavy) **7S**
- 8S (Heavy) **8S**
- 9S (Heavy) **9S**
- 10S (Heavy) **10S**

Standard Materials

Polypropylene
Colour: Black
Material code: **PP-R**

Polyamide
Colour: Black
Material code: **PA-R**

Elastomer Insert
4S to 6S: **Thermoplastic Elastomer** (73 Shore-A)
7S to 10S: **EPDM** (70 Shore-A)
Colour: Black

See pages 154 / 155 for material properties and technical information.

Special Materials

Please contact STAUFF for further details on fire-proof clamp body materials, tested and approved according to several international fire-protection standards (such as BS 6853, EN 45545-2, UL 94 and many more).

See pages 156 / 157 for material properties and technical information.

Product Features

- Proven, tested and trusted product in various markets
- Either for the extra vibration/noise reducing installation of pipes and tubes or the extra gentle installation of hoses and cables
- Available for all commonly used outside diameters
- Excellent weathering resistance, even under extreme conditions



LubeTeam Hydraulic S.r.l.

Administration and Headquarter:

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

Office and Warehouse:

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l'art. 171 della L. 633 del 22 Aprile 1941.