





Piastra di copertura Stauff  
LBBU-DP




 HYDRAULIC  
COMPONENTS  
& FLUID CONTAMINATION  
CONTROL

## Cover Plate Type LBBU-DP



STAUFF Group 1 to 3



STAUFF Group 1D to 3D



| Group STAUFF | Dimensions (mm/in) |      |     |      |      |      |     | Ordering Codes (Standard Options) |
|--------------|--------------------|------|-----|------|------|------|-----|-----------------------------------|
|              | Ø D                | L1   | L2  | R    | H    | B    | S   |                                   |
| 1            | 9                  | 15   | 9   | 10   | 16   | 20   | 3   | LBBU-DP-1-M8/U5/16-W3             |
|              | .35                | .59  | .35 | .39  | .63  | .79  | .12 |                                   |
| 2            | 9                  | 18   | 9   | 12   | 20   | 20   | 3   | LBBU-DP-2-M8/U5/16-W3             |
|              | .35                | .71  | .35 | .47  | .79  | .79  | .12 |                                   |
| 3            | 9                  | 23,5 | 15  | 19,5 | 28   | 30   | 3   | LBBU-DP-3-M8/U5/16-W3             |
|              | .35                | .93  | .59 | .77  | 1.10 | 1.18 | .12 |                                   |
| 1D           | 9                  | 30   |     | 10   | 16   | 20   | 3   | LBBU-DP-1D-M8/U5/16-W3            |
|              | .35                | 1.18 |     | .39  | .63  | .79  | .12 |                                   |
| 2D           | 9                  | 35   |     | 12   | 20   | 20   | 3   | LBBU-DP-2D-M8/U5/16-W3            |
|              | .35                | 1.38 |     | .47  | .79  | .79  | .12 |                                   |
| 3D           | 9                  | 47   |     | 19,5 | 28   | 20   | 3   | LBBU-DP-3D-M8/U5/16-W3            |
|              | .35                | 1.85 |     | .77  | .63  | .79  | .12 |                                   |


Alternative sizes (e.g. for bolts M6 and 1/4–20 UNC), materials and surface finishings are available upon request.

### Ordering Codes

Cover Plate \*LBBU-DP-\*1D-\*M8/U5/16-\*W3

|                                                  |          |
|--------------------------------------------------|----------|
| * Light Series LBBU                              | LBBU     |
| * Cover Plate                                    | -DP      |
| * STAUFF Group                                   | 1D       |
| * Thread code (suitable for bolts M8 and U5/16)  | M8/U5/16 |
| * Material code Carbon Steel, zinc/nickel-plated | W3       |

## Hexagon Head Bolt Type AS



Hexagon Head Bolt AS

(according to DIN 931 / 933 or ANSI / ASME B18.2.1.)

Dimensions applicable only when used with  
Weld Plate LBBU-SP (Type of Mounting SP)  
or Hexagon Rail Nut SM-2-5D (Type of Mounting SM)

Hexagon Head Bolt AS

(according to DIN 931 / 933 or ANSI / ASME B18.2.1.)  
Dimensions applicable only when used for panel mounting  
without Weld Plate or Hexagon Rail Nut

(Type of Mounting PM)



| Group STAUFF | Dimensions (mm/in)  | Ordering Codes (Standard Options) |
|--------------|---------------------|-----------------------------------|
|              | Thread G x L        |                                   |
| 1            | M8 x 25             | AS-M8x25-W3                       |
|              | 5/16–18 UNC x 1     | AS-U5/16-18x1-W3                  |
| 2            | M8 x 28             | AS-M8x28-W3                       |
|              | 5/16–18 UNC x 1-1/8 | AS-U5/16-18x1-1/8-W3              |
| 3            | M8 x 45             | AS-M8x45-W3                       |
|              | 5/16–18 UNC x 1-3/4 | AS-U5/16-18x1-3/4-W3              |
| 1D           | M8 x 25             | AS-M8x25-W3                       |
|              | 5/16–18 UNC x 1     | AS-U5/16-18x1-W3                  |
| 2D           | M8 x 28             | AS-M8x28-W3                       |
|              | 5/16–18 UNC x 1-1/8 | AS-U5/16-18x1-1/8-W3              |
| 3D           | M8 x 45             | AS-M8x45-W3                       |
|              | 5/16–18 UNC x 1-3/4 | AS-U5/16-18x1-3/4-W3              |

| Group STAUFF | Dimensions (mm/in)  | Ordering Codes (Standard Options) |
|--------------|---------------------|-----------------------------------|
|              | Thread G x L        |                                   |
| 1            | M8 x 30             | AS-M8x30-W3                       |
|              | 5/16–18 UNC x 1-1/4 | AS-U5/16-18x1-1/4-W3              |
| 2            | M8 x 35             | AS-M8x35-W3                       |
|              | 5/16–18 UNC x 1-3/8 | AS-U5/16-18x1-3/8-W3              |
| 3            | M8 x 50             | AS-M8x50-W3                       |
|              | 5/16–18 UNC x 2     | AS-U5/16-18x2-W3                  |
| 1D           | M8 x 30             | AS-M8x30-W3                       |
|              | 5/16–18 UNC x 1-1/4 | AS-U5/16-18x1-1/4-W3              |
| 2D           | M8 x 35             | AS-M8x35-W3                       |
|              | 5/16–18 UNC x 1-3/8 | AS-U5/16-18x1-3/8-W3              |
| 3D           | M8 x 50             | AS-M8x50-W3                       |
|              | 5/16–18 UNC x 2     | AS-U5/16-18x2-W3                  |

### Ordering Codes

Hexagon Head Bolt \*AS-\*M8x25-\*W3

|                 |                                                                        |       |
|-----------------|------------------------------------------------------------------------|-------|
| * Type of bolt  | Hexagon Head Bolt (according to DIN 931 / 933 or ANSI / ASME B18.2.1.) | AS    |
| * Thread code   | Thread dimension according to dimension table                          | M8x25 |
| * Material code | Carbon Steel, zinc/nickel-plated                                       | W3    |

All threaded parts are available with Metric ISO thread or unified coarse (UNC) thread according to dimension table.  
Alternative sizes (e.g. for bolts M6 and 1/4–20 UNC), materials and surface finishings are available upon request.



## LubeTeam Hydraulic S.r.l.

*Administration and Headquarter:*

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

*Office and Warehouse:*

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

[www.lubeteam.it](http://www.lubeteam.it) [info@lubeteam.it](mailto:info@lubeteam.it)

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l' art. 171 della L. 633 del 22 Aprile 1941.