




OLEOTECNICA
DOPPIE FLANGE FILETTATE
NPT




 HYDRAULIC
COMPONENTS
& FLUID CONTAMINATION
CONTROL



DOPPIE FLANGE FILETTATE NPT

NPT THREADED DOUBLE FLANGES



Pressione max di esercizio raccomandata Kg/cm²	Grandezza	Tipo	Dimensioni									Viti		Or tipo	Peso Kg	
Maximum recommended working pressure Kg/cm²	Size	Type	Dimensions									Screws		Or type	Weight Kg	
			A	B	C	D	E	F	G	H	I	Metric	Unc			
SERIE 3000															Metric	Unc
345	1/2"	DFS080N	1/2" NPT	13	38,10	57	17,48	46	72	32	19	M8x30	5/16"x1"1/4	4075	0,57	
345	1/2"	DFS080N038	3/8" NPT	13	38,10	57	17,48	46	72	32	19	M8x30	5/16"x1"1/4	4075	0,61	
345	3/4"	DFS100N	3/4" NPT	19	47,63	65	22,23	50	72	36	19	M10x35	3/8"x1"1/2	4100	0,90	
345	3/4"	DFS100N012	1/2" NPT	13	47,63	65	22,23	50	72	36	19	M10x35	3/8"x1"1/2	4100	0,97	
345	1"	DFS102N	1" NPT	25	52,37	70	26,19	55	76	36	22	M10x35	3/8"x1"1/2	4131	1,06	
345	1"	DFS102N034	3/4" NPT	19	52,37	70	26,19	55	70	42	19	M10x40	3/8"x1"1/2	4131	1,19	
276	1"1/4	DFS104N	1"1/4 NPT	32	58,72	79	30,18	68	82	42	22	M10x40	7/16"x1"3/4	4150	1,50	
276	1"1/4	DFS104N100	1" NPT	25	58,72	81	30,18	65	84	50	22	M10x40	7/16"x1"3/4	4150	1,78	
207	1"1/2	DFS106N	1"1/2 NPT	38	69,85	93	35,71	78	90	50	24	M12x45	1/2"x1"3/4	4187	2,37	
207	1"1/2	DFS106N114	1"1/4 NPT	32	69,85	95	35,71	78	90	54	22	M12x45	1/2"x1"3/4	4187	2,61	
207	2"	DFS108N	2" NPT	51	77,77	102	42,88	90	90	50	30	M12x45	1/2"x1"3/4	4225	2,61	
207	2"	DFS108N112	1"1/2 NPT	38	77,77	102	42,88	90	90	50	24	M12x45	1/2"x1"3/4	4225	3,31	
172	2"1/2	DFS110N	2"1/2 NPT	63	88,90	114	50,80	105	100	50	30	M12x45	1/2"x1"3/4	4275	3,45	
138	3"	DFS112N	3" NPT	73	106,38	134	61,93	124	100	54	34	M16x50	5/8"x2"	4337	5,09	
34	3"1/2	DFS114N	3"1/2 NPT	89	120,65	152	69,85	136	96	54	34	M16x50	5/8"x2"	4387	5,36	
34	4"	DFS116N	4" NPT	99	130,18	162	77,77	146	96	54	34	M16x50	5/8"x2"	4437	6,08	
34	5"	DFS118N	5" NPT	120	152,40	184	92,08	180	100	56	30	M16x55	5/8"x2"1/4	4537	12,12	
SERIE 6000																
414	1/2"	DFS401N012	1/2" NPT	13	40,49	57	18,24	46	72	32	19	M8x30	5/16"x1"1/4	4075	0,57	
414	1/2"	DFS401N038	3/8" NPT	13	40,49	57	18,24	46	72	32	19	M8x30	5/16"x1"1/4	4075	0,63	
414	3/4"	DFS402N	3/4" NPT	19	50,80	71	23,80	55	70	42	22	M10x40	3/8"x1"1/2	4100	1,19	
414	3/4"	DFS402N012	1/2" NPT	13	50,80	71	23,80	55	70	42	19	M10x40	3/8"x1"1/2	4100	1,29	
414	1"	DFS403N	1" NPT	25	57,15	81	27,76	65	84	50	24	M12x45	7/16"x1"3/4	4131	1,88	
414	1"	DFS403N034	3/4" NPT	19	57,15	81	27,76	65	84	50	22	M12x45	7/16"x1"3/4	4131	1,94	
414	1"1/4	DFS404N	1"1/4 NPT	32	66,68	95	31,75	78	90	54	25	M14x45	-	4150	2,63	
414	1"1/4	DFS404NL13	1"1/4 NPT	32	66,68	95	31,75	78	90	54	25	M12x45	1/2"x1"3/4	4150	2,63	
414	1"1/4	DFS404N100	1" NPT	25	66,68	95	31,75	78	90	54	24	M14x45	-	4150	2,89	
414	1"1/4	DFS404N100L13	1" NPT	25	66,68	95	31,75	78	90	54	24	M12x45	1/2"x1"3/4	4150	2,89	
414	1"1/2	DFS405N	1"1/2 NPT	38	79,38	112	36,50	94	100	60	28	M16x55	5/8"x2"1/4	4187	4,14	
414	1"1/2	DFS405N114	1"1/4 NPT	32	79,38	112	36,50	94	100	60	25	M16x55	5/8"x2"1/4	4187	4,41	
414	2"	DFS406N	2" NPT	51	96,82	134	44,45	114	130	74	30	M20x70	3/4"x2"3/4	4225	7,65	
414	2"	DFS406N112	1"1/2 NPT	38	96,82	134	44,45	114	130	74	28	M20x70	3/4"x2"3/4	4225	8,63	
414	2"1/2	DFS507N *	2"1/2 NPT	63	123,80	180	58,70	152	160	96	35	M24x80	7/8"x3"1/4	4275	15,85	
414	3"	DFS508N *	3" NPT	73	152,40	208	71,40	178	180	116	40	M30x100	1"1/8x3"1/2	4337	26,2	

DESIGNAZIONE PER ORDINE DESIGNATION FOR ORDER

Flangia + contoflangia + set viti metriche
Flange + counter-flange + metric screws set

Flangia + contoflangia + set viti unc
Flange + counter-flange + unc screws set

Materiale / Material

S355 AISI 316L

DFS...NM DFX...NM

DFS...NU DFX...NU

NOTE / NOTES

set viti unc disponibili solo in acciaio al carbonio
unc screws set available only in carbon steel

*set viti disponibili solo metriche in acciaio al carbonio
*screws set available only metric in carbon steel

LubeTeam Hydraulic S.r.l.

Administration and Headquarter:

Via Tufara Scautieri, 6

83018 - San Martino Valle Caudina (AV)

Office and Warehouse:

S.S. 7 Appia, Km. 237,00

82011 - Airola BN

ITALY

Tel. +39 0823 950 994

Fax +39 0823 412 546

www.lubeteam.it info@lubeteam.it

Italian VAT / C.F. e P.IVA: 01251720627

Follow us



This document is the property of LubeTeam Hydraulic S.r.l. All data reported here are for the exclusive use of the Receiver. Reproduction is not authorized without writing permission, in all or in part of the content of this document, in accordance to Law 633 art. 171, dated April 22, 1941.

Il presente documento è di proprietà della LubeTeam Hydraulic S.r.l. I dati riportati sono per esclusivo del destinatario. La riproduzione, di tutto o in parte, non è autorizzata senza permesso scritto secondo l' art. 171 della L. 633 del 22 Aprile 1941.